



ZFW
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

application of: Marcio Marc Abreu

Attorney Docket: P67821US2

Serial No.: 10/786,623

Group Art Unit: 1626

Filed: February 26, 2004

For: APPARATUS AND METHOD FOR MEASURING BIOLOGIC PARAMETERS

TRANSMITTAL

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Transmitted herewith is a Preliminary Amendment in the above captioned application.

XX Small Entity status of this application under 37 C.F.R. 1.9 and 1.27 has been established by a verified statement previously submitted.

 No additional fee is required.

The fee has been calculated as shown below:

Claims Remaining	Highest Number	Present Extra	Small Entity Rate Addit. Fee	Other Than A Small Entity (or) Rate Addit. Fee
After Amendment	Previously Paid For			
Total	- 20	= 0	x09 = \$	x 18 = \$
Indep.	- 3	= 0	x42 = \$	x 84 = \$
First Presentation of Multiple Dependent Claim			x140= \$	+280 = \$
Total Additional Fee			\$	\$

XX If a Petition for Extension of Time is necessary and the Petition and/or the check is not enclosed, this will act as the Petition and applicant herewith petitions the Commissioner to extend the time for response and charge any fees necessary under 37 CFR 1.17 (a)(1)-(5) to Deposit Account No. 06-1358. The Commissioner is also authorized to charge payment of any other additional fees associated with this communication or credit any overpayment to Deposit Account No. 06-1358. A duplicate copy of this sheet is attached.

JACOBSON HOLMAN, PLLC

Dated: September 27, 2006
400 Seventh Street, N. W.
Washington, D.C. 20004-2201
JLS/arc

By: Jonathan L. Scherer
Jonathan L. Scherer
Reg. No. 29,851



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Marcio Marc Abreu

Attorney Docket: P67821US2

Serial No.: 10/786,623

Group Art Unit: 1626

Filed: February 26, 2004

For: APPARATUS AND METHOD FOR MEASURING BIOLOGIC PARAMETERS

LETTER TO THE OFFICIAL DRAFTSMAN

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

Attached please find a copy of the drawings, Figures 5D, 6 and 16B, in the above-captioned application.

Upon approval of the drawing corrections, the attached replacement sheets should be substituted for the originally filed drawings.

Respectfully submitted,

JACOBSON HOLMAN, PLLC

By: *Jonathan L. Scherer*
Jonathan L. Scherer
Reg. No. 29,851

400 Seventh Street, N.W.
Washington, D.C. 20004-2201
(202) 638-6666
Date: September 27, 2006
JLS/arc